

Visit our
website:
www.sl-rack.com

Find us on



GERMAN INNOVATION

Innovative Product Development



„Our racking systems have been developed since 1996 and are continuously optimized. Pre-assembled components that are quick and easy to install, prompt order processing, a reliable product supply and cost-effectiveness are our focus.

All our components follow a convenient top-down installation approach, ensuring a smooth and time-saving workflow. SL Rack systems are installer-friendly, intuitive and standardized, while still providing the flexibility to adapt to each respective project site.“

Sincerely,

Ludwig Schletter

SL Rack
in numbers:



26..... Years of experience
30..... GW installed worldwide
200..... Employees are happy to help!
EU..... Almost exclusively manufactured in Germany and Europe




Visit our
website:
www.sl-rack.com



Check out our
YouTube-channel:
[Installation videos »](#)

*Our warranty conditions apply. They are available at www.sl-rack.com




Welcome to our **Solar.Pro.Tool**

Solar.Pro.Tool

Design your rooftop projects quickly and with ease using our **Solar.Pro.Tool**, available on our website.

- » For all pitched and flat roofs
- » Finish your design in 10 simple steps
- » In 2D or 3D (PDF, DXF, DWG)
- » Building authority certified
- » Precise ballast calculations for any type of flat roof
- » Drawings and bill of material







UNIQUE IN THE MARKET

Alpha-Plate

- » Universal roof replacement panel with integrated console and rubber sleeve made of UV-resistant EPDM, incl. hose clamp
- » Integrated snow and ice deflector
- » Plate is easy to shape to fit almost any type of tile
- » Raised sides protect from driving rain
- » Corrosion and UV resistant
- » **Dimensions Alpha-Plate:**
Length 457 mm, width 586 mm, height 82 mm
- » **Dimensions console:**
Length 150 mm, width 35 mm, height 190 mm
- » Material: Aluminum
- » Colours: Brick red (RAL 8004) and anthracite (RAL 7016)
- » Weight: 1.25 kg



Alpha-Plate
brick red RAL 8004
Item no. 11500-00





Alpha-Plate
anthracite RAL 7016
Item no. 11500-01

VARIANTS

Item no. 11500-00	EAN 4262355110971	Alpha-Plate, brick red RAL 8004	5 pcs. per PU
Item no. 11500-01	EAN 4262355110988	Alpha-Plate, anthracite RAL 7016	5 pcs. per PU

Accessories




» Alpha-Flex 120 Item no. 11512-00

- Mounting plate for console
- Lateral adjustability
- Grounding lug can be attached
- Incl. Alpha-Flex-Console Mounting Clamp


» Alpha-Flex 2000 Item no. 11501-2000

- Profile can span the width of up to 2 rafters (required in case an appropriate attachment for the console or mounting plate is not available)
- Better load distribution if multiple consoles are utilized
- Lateral adjustability
- Grounding lug can be attached



» Optional Foam Wedge for Alpha-Plate Item no. 97401-00

- Optional component for sealing the top roof tile
- Self-adhesive full foam strip
- Malleable structure
- Made of rot-proof net foam



» Optional vertical Clamp Combination Item no. 11105-05



» Optional Potential Equalization Clamp for SL Alu and Alpha-Flex Item no. 11101-20



» Optional Alpha-Flex-Console Mounting Clamp Item no. 11501-02


ACCESSORIES

Item no. 11512-00	EAN 4262355110346	Alpha-Flex 120	20 pcs. per PU
Item no. 11501-2000	EAN 4262355110353	Alpha-Flex 2000	20 pcs. per PU
Item no. 11105-05	EAN 4262355110339	Clamp Combination, vertical	100 pcs. per PU
Item no. 11501-02	EAN 4262355111428	Alpha-Flex-Console Mounting Clamp	200 pcs. per PU
Item no. 11101-20	EAN 4262355111411	Potential Equalization Clamp for SL Alu and Alpha-Flex	200 pcs. per PU
Item no. 97401-00	EAN 4262355111985	Foam Wedge for Alpha- & Beta-Plate	100 pcs. per PU



UNIQUE IN THE MARKET

Beta-Plate

- » Universal roof replacement panel for almost any type of tile
- » Compatible with all SL Rack roof hooks
- » Plate is easy to shape to fit almost any type of tile
- » Raised sides and foam wedge protect from driving rain
- » Corrosion and UV resistant
- » **Dimensions:**
Length 456 mm, width 586 mm, height 52 mm
- » Material: Aluminum
- » Colours: Brick red (RAL 8004) and anthracite (RAL 7016)
- » Weight: 0.969 kg



Beta-Plate
brick red RAL 8004
Item no. 11522-00



Beta-Plate
anthracite RAL 7016
Item no. 11522-01


VARIANTS

Item no. 11522-00	EAN 4262355112050	Beta-Plate, brick red RAL 8004	5 pcs. per PU
Item no. 11522-01	EAN 4262355112067	Beta-Plate, anthracite RAL 7016	5 pcs. per PU



UNIQUE IN THE MARKET

Beaver-Plate

- » Universal roof replacement panel for Beavertail tiles
- » Compatible with roof hook SL A2-Beavertail and SL Beaver Slate
- » Impact resistant and permanently stable
- » Raised sides protect from driving rain
- » **Dimensions:**
Width 264 mm, length 455 mm, height 35 mm
- » Material: Aluminum
- » Colours: Brick red (RAL 8004) and anthracite (RAL 7016)
- » Weight: 0.4989 kg



Biber-Platte
 brick red RAL 8004
 Item no. 11530-00



Biber-Platte
 anthracite RAL 7016
 Item no. 11530-01

VARIANTS

Item no. 11530-00	EAN 4262355112210	Beaver-Plate, brick red RAL 8004	20 pcs. per PU
Item no. 11530-01	EAN 4262355112357	Beaver-Plate, anthracite RAL 7016	20 pcs. per PU




UNIQUE IN THE MARKET

Metal Roof Plate SL Alu


- » Quick and easy installation without roof penetration.
- » Three different sizes provide flexibility for various tile cover widths.
- » Maximum sealing with aluminum skirt and foam wedge.
- » The aluminum material provides high strength and durability.
- » Easy integration due to compatibility with all SL Rack roof hooks.

VARIANTS:

- » **Dimensions - SL Alu S:**
Length 440 mm, width 264 mm, height 367 mm
- Dimensions - SL Alu M:**
Length 440 mm, width 314 mm, height 367 mm
- Dimensions - SL Alu L:**
Length 440 mm, width 354 mm, height 367 mm
- » **Colours:**
Brick red (RAL 8004) and anthracite (RAL 7016)



Metal Roof Plate SL Alu S
brick red RAL 8004
Item no. 11542-00





Metal Roof Plate SL Alu L
anthracite RAL 7016
Item no. 11542-01

VARIANTS

Item no. 11540-00	EAN 4262355110841	Metal Roof Plate SL Alu S brick red RAL 8004	10 pcs. per PU
Item no. 11540-01	EAN 4262355110872	Metal Roof Plate SL Alu S anthracite Ral 7016	10 pcs. per PU
Item no. 11541-00	EAN 04262355110858	Metal Roof Plate SL Alu M brick red RAL 8004	10 pcs. per PU
Item no. 11541-01	EAN 04262355110889	Metal Roof Plate SL Alu M anthracite RAL 7016	10 pcs. per PU
Item no. 11542-00	EAN 04262355110865	Metal Roof Plate SL Alu L brick red RAL 8004	10 pcs. per PU
Item no. 11542-01	EAN 04262355110896	Metal Roof Plate SL Alu L anthracite RAL 7016	10 pcs. per PU

Roof Hook 3D SL Alu

- » Triple adjustability for optimum alignment from 44 mm - 64 mm
- » Compatible with SL Alu-Flex 2000
- » Suitable for rafters from 36 mm width
- » Additional mounting option for the Potential Equalization Clamp
- » Tested lightning current carrying capability
- » Deburred
- » **Dimensions:**
Length 250 mm, width 120 mm, height 188 mm
- » Material: Aluminum, stainless steel bolts




**Optional
Vertical Clamp Combination**
Item no. 11105-05




**Optional
Potential Equalization
Clamp for SL Alu and
Alpha-Flex**
Item no. 11101-20




**Optional
Rafter Spanning Profile
SL Alu-Flex 2000**
Item no. 11102-2000




3D SL Alu K



3D SL Alu L



3D SL Alu 36 L



3D SL Alu XL


VARIANTS

Item no. 11145-01	EAN 4262355112555	Roof Hook 3D SL Alu K	10 pcs. per PU
Item no. 11100-01	EAN 4262355112562	Roof Hook 3D SL Alu L	10 pcs. per PU
Item no. 11136-02	EAN 4262355113248	Roof Hook 3D SL Alu 36 L	10 pcs. per PU
Item no. 11100-02	EAN 4262355112609	Roof Hook 3D SL Alu XL	10 pcs. per PU
Item no. 11105-05	EAN 4262355110339	Clamp Combination, vertical	100 pcs. per PU
Item no. 11101-20	EAN 4262355111411	Potential Equalization Clamp for SL Alu and Alpha-Flex	200 pcs. per PU
Item no. 11102-2000	EAN 4262355111992	SL Alu-Flex 2000	20 pcs. per PU


UNIQUE IN THE MARKET


SL Alu Multi Hook

- » Triple adjustable roof hook
- » Can be hooked over the battens or screwed into the rafters
- » Slim design eliminates tile cutting.
Can also be used with tiles that were glued.
- » Compatible with horizontal and vertical rail mounting
- » Lightning current carrying capacity for increased safety
- » Corrosion and UV resistant
- » Pre-assembled components
- » **Dimensions:**
Length 257 mm, width 35 mm, height 172 mm
- » Material: Aluminum, stainless steel bolts, EPDM
- » Weight: 0.435 kg



SL Alu Multi Hook
Item no. 11100-05

Option 2:
Attachment
to the rafter




**Optional
Potential Equalization Clamp
for SL Alu Multi Hook**
Item no. 11100-08

Item no. 11100-05	EAN 4262355112227	Roof Hook SL Alu Multi Hook	20 pcs. per PU
Item no. 11100-08	EAN 4262355112593	Potential Equalization Clamp for SL Alu Multi Hook	500 pcs. per PU

Dachhaken SL A2

- » Suitable for all standard tile roofs, high snow loads and large overlapping tiles
- » Height adjustable with 2mm or 5mm shims
- » Easy to install with just one tool (Torx 40)
- » Pre-assembled horizontal Clamp Combination for a quick installation
- » Vertical Clamp Combination optionally available
- » Installation as single- or cross-rail system
- » **Dimensions:** Length 176 to 225 mm, width 150 mm, height 192-212 mm
- » Material: Stainless steel, bolts stainless steel




VARIANTS

Item no. 13135-01	EAN 4262355110926	Roof Hook SL A2-35	20 pcs. per PU
Item no. 13145-01	EAN 4262355110933	Roof Hook SL A2-45	20 pcs. per PU
Item no. 13145-02	EAN 4262355110940	Roof Hook SL A2-45 X	10 pcs. per PU
Item no. 13145-03	EAN 4262355112036	Roof Hook SL A2-45 L (long)	10 pcs. per PU
Item no. 13155-01	EAN 4262355111923	Roof Hook SL A2-55	10 pcs. per PU
Item no. 11105-05	EAN 4262355110339	Clamp Combination, vertical	100 pcs. per PU

Clamp Combinations

- » Universal fit for all SL roof hooks and consoles
- » Supports vertical and horizontal rail installation
- » Height adjustment available for uneven roofs
- » Horizontal Clamp Combination is pre-assembled, vertical Clamp Combination is optional
- » Easy installation with only one screw
- » Certified connection for grounding/lightning current carrying capacity
- » **Dimensions:**
Length 65 to 90 mm, width 56 mm, height 33 mm
- » Material: Aluminum, bolt stainless steel
- » Weight: 0.053 kg



VARIANTS

Item no. 11105-05	EAN 4262355110339	Clamp Combinations, vertical	100 pcs. per PU
Item no. 13101-05	EAN 4262355110919	Clamp Combinations, horizontal	100 pcs. per PU

Flex Shims for Roof Hooks

- » Precise height adjustment for roof hooks.
- » Available heights: 2 mm and 5 mm.
- » Compatible with all roof hooks
- » **Dimensions:**
Length 150 mm, width 72 mm
- » Material: Plastic
- » Colour: Black




VARIANTS

Item no. 94703-02	EAN 4262355112524	Flex Shim: 2 mm, 150 x 60 mm	100 pcs. per PU
Item no. 94703-05	EAN 4262355112531	Flex Shim: 5 mm, 150 x 60 mm	50 pcs. per PU

Roof Hook Sealing


- » Self-adhesive foam
- » Resistant to rotting
- » Fits all common roof hooks.
- » **Dimensions:**
Length 60 mm, width 30 mm
- » Material: Foam
- » Colour: Black
- » Weight: 0.008 kg



Item no. 97402-00	EAN 4262355112661	Roof Hook Sealing	100 pcs. per PU
-------------------	-------------------	-------------------	-----------------

Gamma Support

- » Set consists of Gamma Support and stainless steel cable tie
- » Weather-resistant, high-quality HDPE plastic
- » Profiling suitable for SL Rack roof replacement panels
- » **Dimensions:**
Length 45 mm, width 40 mm, height 20 mm
- » Stainless steel / HDPE
- » Weight: 0.0304 kg



Item no. 14101-00	EAN 04262355113286	Gamma Support	100 pcs. per PU
-------------------	--------------------	---------------	-----------------

Roof Hook SL A2-Tegalit

- » Suitable for flat roof tiles such as Tegalit.
- » Simple attachment of rails (Cross Connector)
- » Set includes Cross Connector for horizontal or vertical rail mounting
- » Holes for lateral adjustment
- » Can be mounted as a single- or cross-rail system
- » **Dimensions:**
Length 263 mm, width 120 mm, height 150 mm
- » Material: Stainless steel
- » Weight: 1.1682 kg




Item no. 13105-00	EAN 4262355110964	Roof Hook SL A2-Tegalit	10 pcs. per PU
--------------------------	-------------------	-------------------------	----------------

Roof Hook SL A2-Beavertail

i We recommend installation in combination with Beaver-Plate (item no. 11530-00. 11530-01).
Tile clamps must be fastened according to specifications.


- » Set includes Cross Connector for horizontal or vertical rail installation.
- » Fits all common Beavertail tiles.
- » Simple attachment of rails.
- » Option of single- or cross-rail system.
- » **Dimensions:**
Length 345 mm, width 90 mm, height 146 mm
- » Material: Stainless steel
- » Weight: 0.6918 kg



Item no. 13106-00	EAN 4262355110407	Roof Hook SL A2-Beavertail	10 pcs. per PU
--------------------------	-------------------	----------------------------	----------------

Roof Hook SL A2-Slate

- » Stainless steel roof hook without a weld
- » Works with roof replacement plates
- » Horizontal and vertical direct mounting of rails through M10 slotted hole
- » Bolt (M10x25) and nut optionally available, items no. 93110-25 and 93306-10
- » Installation as single- or cross-rail system



Item no. 13107-00	EAN 4262355110391	Roof Hook SL A2-Slate	20 pcs. per PU
--------------------------	-------------------	-----------------------	----------------

Slate Roof Replacement Plate

- » Suitable for roof-parallel applications as well as elevated systems
- » in conjunction with hanger bolts
- » » Works for all common slate, bitumen, fiber cement and shingle roofs
- » » Direct attachment to the roof substructure ensures a solid connection ([Page 27](#))



VARIANTS


Item no. 13501-270	EAN 4262355110360	Slate Roof Replacement Plate 200 x 270 mm	50 pcs. per PU
Item no. 13501-370	EAN 4262355110377	Slate Roof Replacement Plate 200 x 370 mm	50 pcs. per PU
Item no. 13501-580	EAN 4262355110384	Slate Roof Replacement Plate 200 x 580 mm	25 pcs. per PU

Rafter Spanning Profile SL Alu-Flex 2000

- » Spans across non-load-bearing rafters
- » Free positioning of roof hooks around dormers, skylights and verges
- » Pre-drilled for an easy installation
- » Compatible with any 3D aluminum roof hook
- » Supports grounding below the roof cladding
- » **Dimensions:**
Length 2000mm, width 150mm, height 32mm
- » Material: Aluminum
- » Weight: 4.857 kg



Item no. 11102-2000	EAN 4262355111992	SL Alu-Flex 2000	40 pcs. per PU
----------------------------	-------------------	------------------	----------------



Advantages:

- » Optional: Potential Equalization Plate
- » Pre-installed EPDM rubber is UV-resistant and ensures water-sealing of the attachment
- » Self-tapping screws incl. EPDM sealing washer available separately

Trapez 1


- » Highly economical and material-efficient mounting option for horizontal module installation on trapezoidal sheet metal roofs.
- » Seamless adjustment to the trapezoidal sheet metal geometry.
- » Material: Aluminum, EPDM-rubber



Item no. 11201-01	EAN 4262355110414	Trapez 1	100 pcs. per PU
-------------------	-------------------	----------	-----------------

Trapez 2

- » Easiest way to install rails on trapezoidal sheet metal roofs
- » Standardization ensures insertion in the lower channel of the RAIL.
- » Always install facing each other
- » Material: Stainless steel, EPDM rubber



Item no. 13202-01	EAN 4262355110421	Trapez 2	200 pcs. per PU
-------------------	-------------------	----------	-----------------

Trapez 3 & Trapez 3-60


- » Convenient and time-saving installation from the top
- » 370 mm long rail can span over several ribs
- » Installation on top of the rib ensures best accessibility and greatest possible distance from the water-bearing layer
- » Vertical module mounting; horizontal mounting requires the use of Support Plates (item no. 91701-00)
- » Can be combined with Cross Connectors for use with RAILS
- » Material: Aluminum, EPDM rubber



Item no. 11205-03	EAN 4262355110438	Trapez 3	50 pcs. per PU
Item no. 11205-04	EAN 4262355110458	Trapez 3-60	50 pcs. per PU

Trapez 4 2.0

- » Independent of the trapezoidal sheet metal geometry.
- » Convenient mounting from the top onto the ridge.
- » Integrated spacer for optional sliding of the rail
- » UV and corrosion resistant.
- » Optional accessories:
Potential Equalization Plate and self-tapping screws with sealing washers.
- » **Dimensions:**
Length 150 mm, width 35 mm, height 45 mm
- » Material: Aluminum, EPDM rubber, plastic (spacer)
- » Weight: 0.1358 kg



Including pre-mounted EPDM rubber strips (UV resistant)



Optional in combination with Trapez 6

Item no. 11204-00	EAN 4262355110445	Trapez 4 2.0	100 pcs. per PU
-------------------	-------------------	--------------	-----------------

Trapez 5 & Trapez 5-60


- » Fits any trapezoidal roof geometry.
- » Convenient and time-saving installation from the top.
- » Integrated rail channel for easy system connection.
- » Pre-installed UV resistant EPDM rubber strips for sealing.
- » Potential Equalization Plate and self-tapping screws with sealing washers are optionally available.
- » **Dimensions:**
Length 180 mm, width 30 mm, height 33 mm and 60 mm
- » Material: Aluminum, EPDM
- » Weight: 0.1455 kg



Item no. 11202-01	EAN 4262355110452	Trapez 5	100 pcs. per PU
Item no. 11202-02	EAN 4262355113187	Trapez 5-60	75 pcs. per PU

Trapez 6

- » Allows sliding of RAILS on trapezoidal sheet metal roofs
- » Use with Trapez 4
- » **Dimensions:**
Length 90 mm, width 40 mm, height 10 mm
- » Material: PA66 / EPDM
- » Material cover: Aluminum
- » Weight: 0.041 kg



Trapez 6 Cover optionally available

Item no. 14206-01	EAN 04262355113293	Trapez 6	250 pcs. per PU
Item no. 11204-01	EAN 4262355113316	Trapez 6 Cover	250 pcs. per PU

Trapez Adaptor

- » Completely pre-assembled.
- » Easy to install from the top with just one tool (Torx 40).
- » Adaptation to the geometry of the trapezoidal sheet.
- » Suitable for all profiles and ideal for installation on barrel roofs.
- » Distance requirements in accordance with fire protection directive DIN EN 13501-5.
- » **Dimensions:** Length 120 mm, width 40 mm, height 84 mm
- » Material: Aluminum, stainless steel bolt
- » Weight: 0.1569 kg



Item no. 11206-01	EAN 4262355112630	Trapez Adaptor	50 pcs. per PU
--------------------------	-------------------	----------------	----------------

Potential Equalization Plate

- » Transfers the potential of the system/modules to the trapezoidal roof (provided that the trapezoidal sheet metal roof is already grounded)
- » » Works with all SL Rack Trapez systems



Item no. 93201-00	EAN 4262355110261	Potential Equalization Plate	100 pcs. per PU
--------------------------	-------------------	------------------------------	-----------------

Self-Tapping Screws for Trapezoidal Sheet Metal Roofs

- » **Self-tapping screw 6.0 x 25-25 DIA 16 mm, item no. 93160-25**
Drilling capacity steel..... 0.4 mm - 2.0 mm
Drilling capacity aluminum..... 0.5 mm - 2.0 mm
- » **PREMIUM Self-tapping screw 6.0 x 25 DIA 16 mm, item no. 93161-25**
Drilling capacity steel..... 0.5 mm - 1.5 mm
Drilling capacity aluminum..... 0.4 mm - 2.0 mm



VARIANTS

Item no. 93160-25	EAN 4262355111008	Self-tapping screw 6.0 x 25-25 DIA 16 mm for Trapez attachments	100 pcs. per PU
Item no. 93161-25	EAN 4262355111640	PREMIUM Self-tapping screw 6.0 x 25 DIA 16 mm for Trapez attachments	100 pcs. per PU

Self-Drilling Screw

- » **Self-drilling screw 5.5 x 25 DIA 16 mm, Item no. 93155-26**
Drilling capacity steel..... 0.4 mm - 1.5 mm
Drilling capacity aluminum..... 0.4 mm - 5.0 mm



Attention:
Beware of metal swarf on the roof!





Item no. 93155-26	EAN 4262355111015	Self-drilling screw 5.5 x 25 DIA 16 mm	100 pcs. per PU
--------------------------	-------------------	--	-----------------

Mounting Profiles

RAIL 35 - RAIL 120

- » Deep top rail channel accommodates module clamps for frame heights 28 mm - 50 mm
- » Bottom rail channel is optimized for fastening claws and fits all SL Rack rooftop attachments
- » Compatible with popular racking systems on the market
- » Very easy handling and stacking
- » Same weight/static values as comparable products
- » Spans vary depending on the rail height (RAIL 60 and RAIL 120 achieve the largest spacing for roof connections)
- » RAIL 35 is weight-optimized for lower loads
- » Available in various lengths, also in black anodized



RAIL 35

Item no. 81135-4750	EAN 4262355111831	RAIL 35 - 4750 mm	150 pcs. per PU
---------------------	-------------------	-------------------	-----------------

RAIL 40

Item no. 81140-2400	EAN 4262355111664	RAIL 40 - 2400 mm	150 pcs. per PU
Item no. 81140-3600	EAN 4262355111848	RAIL 40 - 3600 mm	150 pcs. per PU
Item no. 81140-4750	EAN 4262355111855	RAIL 40 - 4750 mm	150 pcs. per PU
Item no. 86140-4750	EAN 4262355111862	RAIL 40 - 4750 mm, black anodized	150 pcs. per PU
Item no. 81140-5850	EAN 4262355111893	RAIL 40 - 5850 mm	150 pcs. per PU

RAIL 60


Item no. 81160-2400	EAN 4262355110087	RAIL 60 - 2400 mm	98 pcs. per PU
Item no. 81160-3600	EAN 4262355112029	RAIL 60 - 3600 mm	98 pcs. per PU
Item no. 81160-4750	EAN 4262355111879	RAIL 60 - 4750 mm	98 pcs. per PU
Item no. 86160-4750	EAN 4262355111886	RAIL 60 - 4750 mm, black anodized	98 pcs. per PU

RAIL 120

Item no. 81112-5850	EAN 4262355112937	RAIL 120 - 5850 mm	56 pcs. per PU
---------------------	-------------------	--------------------	----------------

Mounting Profiles RAIL 7

- » Can be combined with the SL Rack roof hooks as well as Trapeze 1 - 5
- » Deep top rail channel accommodates module clamps for frame heights 28 mm - 50 mm
- » Bottom rail channel is optimized for fastening claws and fits all SL Rack rooftop attachments
- » RAIL 7 can lead to yield increases, due to an additional inclination of 7 °



RAIL 7 BOTTOM

Item no. 81107-4750	EAN 4262355112074	RAIL 7 bottom - 4750 mm	84 pcs. per PU
----------------------------	-------------------	-------------------------	----------------

RAIL 7 TOP

Item no. 81106-4750	EAN 4262355112081	RAIL 7 top - 4750 mm	40 pcs. per PU
----------------------------	-------------------	----------------------	----------------

Mounting Profiles RAIL 15

- » Can be combined with the SL Rack roof hooks as well as Trapeze 1 - 5
- » Deep top rail channel accommodates module clamps for frame heights 28 mm - 50 mm
- » Bottom rail channel is optimized for fastening claws and fits all SL Rack rooftop attachments
- » RAIL 15 can lead to yield increases, due to an additional inclination of 15°



RAIL 15 BOTTOM

Item no. 81115-4750	EAN 4262355112098	RAIL 15 bottom - 4750 mm	84 pcs. per PU
----------------------------	-------------------	--------------------------	----------------

RAIL 15 TOP

Item no. 81114-4750	EAN 4262355112104	RAIL 15 top - 4750 mm	36 pcs. per PU
----------------------------	-------------------	-----------------------	----------------



External Connector for all RAILS

- » Connection of profiles
- » Low height of only 20 mm for flat structures.
- » Compatible with all SL Rack RAILS.
- » Installed from the top with only one tool.
- » Completely pre-assembled.
- » General Building Authority approved and tested for lightning current carrying capacity.
- » Can be used universally with the same static characteristics as a rail.
- » **Dimensions:** Length 130 mm, width 84 mm, height 26 mm
- » **Weight:** 0.2851 kg
- » Material: Aluminum
- » Colour: Mill finish or black anodized






VARIANTS

Item no. 81110-00	EAN 4262355112906	External Connector RAIL 3.0	40 pcs. per PU
Item no. 86110-00	EAN 4262355112913	External Connector RAIL 3.0, black anodized	40 pcs. per PU
Item no. 81112-03	EAN 04262355113262	External Connector Rail 120	40 pcs. per PU

Internal Connector RAIL 2.0

- » Extremely sturdy, precise and easy to install.
- » Time-saving, bolts pre-installed.
- » Only one tool required: Torx 40.
- » Connects rails for a continuous rail channel and without obstructiv external structures.




VARIANTS

Item no. 81135-02	EAN 4262355111442	Internal Connector RAIL 2.0 für RAIL 35	50 pcs. per PU
Item no. 81140-02	EAN 4262355110469	Internal Connector RAIL 2.0 für RAIL 40	50 pcs. per PU
Item no. 86140-02	EAN 4262355110476	Internal Connector RAIL 2.0 für RAIL 40, black anodized	50 pcs. per PU
Item no. 81160-02	EAN 4262355110483	Internal Connector RAIL 2.0 für RAIL 60	40 pcs. per PU
Item no. 86160-02	EAN 4262355110490	Internal Connector RAIL 2.0 für RAIL 60, black anodized	40 pcs. per PU
Item no. 81112-02	EAN 4262355111459	Internal Connector RAIL 2.0 für RAIL 120	15 pcs. per PU

End Caps RAIL

- » Integrated holes for drainage
- » Compatible with popular systems on the market




VARIANTS

Item no. 94635-06	EAN 4262355112388	Plastic End Cap RAIL 35, gray	500 pcs. per PU
Item no. 94635-05	EAN 4262355112395	Plastic End Cap RAIL 35, black	500 pcs. per PU
Item no. 94640-06	EAN 4262355110506	Plastic End Cap RAIL 40, gray	500 pcs. per PU
Item no. 94640-05	EAN 4262355110513	Plastic End Cap RAIL 40, black	500 pcs. per PU
Item no. 94660-06	EAN 4262355110520	Plastic End Cap RAIL 60, gray	250 pcs. per PU
Item no. 94660-05	EAN 4262355110537	Plastic End Cap RAIL 60, black	250 pcs. per PU

RAIL Covers

- » Rail covers consist of high-quality anodized aluminum, no discolouring
- » In combination with the black End Caps RAIL, black modules and dark roof tiles, a sleek „all-black look“ is created.
- » Quick and easy installation by simply sliding over both sides of the rail
- » No tools required



VARIANTS

Item no. 91735-00	EAN 4262355112401	RAIL 35 Cover- 300 mm, black	75 pcs. per PU
Item no. 91740-00	EAN 4262355112234	RAIL 40 Cover- 300 mm, black	150 pcs. per PU
Item no. 91760-00	EAN 4262355112258	RAIL 60 Cover- 300 mm, black	98 pcs. per PU

Mid Clamps and End Clamps

- » Universal clamps for 28-45mm frame heights, used horizontally or vertically.
- » Fully pre-assembled and compatible with all SL Rack systems.
- » 70 mm clamp length and 11 mm clamp depth for secure module mounting.
- » Easy to install from the top
- » Optionally available without a grounding pin.
- » **Dimensions:**
 - » Mid Clamp:
Length 70 mm, width 42 mm, height 72 mm
 - » End clamp:
Length 70 mm, width 34 mm, height 72 mm
- » Material: Aluminum, stainless steel
- » Colour: Mill finish or black anodized
- » **Weight:**
Mid clamp 0.066 kg, End clamp 0.071 kg



Mid clamp with grounding pin for frame heights 28 mm - 45 mm



Mid clamp without grounding pin for frame heights 28 mm - 45 mm



End clamp with grounding pin for frame heights 28 mm - 45 mm



End clamp with grounding pin for frame heights 28 mm - 45 mm




VARIANTS

Item no. 91160-01	EAN 4262355111008	Mid clamp with grounding	100 pcs. per PU
Item no. 96160-01	EAN 4262355110995	Mid clamp with grounding, black anodized	100 pcs. per PU
Item no. 91161-01	EAN 4262355111015	Mid clamp without grounding	100 pcs. per PU
Item no. 96161-01	EAN 4262355111978	Mid clamp without grounding, black anodized	100 pcs. per PU
Item no. 91162-01	EAN 4262355112197	End clamp with grounding	100 pcs. per PU
Item no. 96162-01	EAN 4262355112203	End clamp with grounding, black anodized	100 pcs. per PU
Item no. 91163-01	EAN 4262355112227	End clamp without grounding	100 pcs. per PU
Item no. 96163-01	EAN 4262355112241	End clamp without grounding, black anodized	100 pcs. per PU

End clamp 30 - 50

- » End clamp for frame heights 30 mm - 50 mm
- » Convenient top-down installation;
Only one tool required: Torx 40
- » 70 mm clamp length ensures a safe installation



VARIANTS

Item no. 91113-31	EAN 4262355111510	End clamp 30-32 mm	100 pcs. per PU
Item no. 96113-31	EAN 4262355111527	End clamp 30-32 mm, black anodized	100 pcs. per PU
Item no. 91113-34	EAN 4262355111534	End clamp 33-35 mm	100 pcs. per PU
Item no. 96113-34	EAN 4262355111541	End clamp 33-35 mm, black anodized	100 pcs. per PU
Item no. 91113-37	EAN 4262355111558	End clamp 36-38 mm	100 pcs. per PU
Item no. 96113-37	EAN 4262355111565	End clamp 36-38 mm, black anodized	100 pcs. per PU
Item no. 91113-41	EAN 4262355111572	End clamp 40-42 mm	100 pcs. per PU
Item no. 96113-41	EAN 4262355111589	End clamp 40-42 mm, black anodized	100 pcs. per PU
Item no. 91113-45	EAN 4262355111596	End clamp 45-46 mm	100 pcs. per PU
Item no. 96113-45	EAN 4262355111602	End clamp 45-46 mm, black anodized	100 pcs. per PU
Item no. 91113-50	EAN 4262355111619	End clamp 50 mm	100 pcs. per PU
Item no. 96113-50	EAN 4262355111626	End clamp 50 mm, black anodized	100 pcs. per PU

Laminate Clamps

- » Suitable for frameless thin-film modules,
module thickness 3-16 mm, glass recess 11-15 mm.
- » Clamp length of 80 mm ensures secure mounting.
- » Available as mid and end clamps.
- » Corrugated EPDM rubber for non-slip grip.
- » Pre-assembled and fastened from the top.
- » **Dimensions:**
 - » Mid clamp:
Length 80 mm, width 60 mm, height 40 bis 60 mm
 - » End clamp:
Length 80 mm, width 44 mm, height 40 bis 60 mm
- » Material: Aluminum
- » Weight: Mid clamp 0.2012 kg, end clamp 0.1414 kg



Laminate mid clamp



Laminate end clamp



Safety Hook

VARIANTS

Item no. 91603-01	EAN 4262355113217	Laminate mid clamp Vario 2.0	50 pcs. per PU
Item no. 91603-02	EAN 4262355113224	Laminate end clamp Vario 2.0	50 pcs. per PU
Item no. 91603-03	EAN 4262355112487	Safety Hook	50 pcs. per PU

SL Seam Clamps 2.0



- » Specially developed for standing seam roofs
- » Identical top part with rail channel and slotted hole for maximum flexibility
- » Clamping jaws suitable for the respective standing seam roof
- » Cross connection with our proven Cross Connector (item no. 91204-00)
- » Integrated rail channel for direct mounting with module clamps



Round Seam Clamp 2.0 - 18mm
for KalZip




Seam Clamp 2.0 - DFalzCU
for copper roofs



Seam Clamp 2.0 - DFalzPRO
for double-lock standing seam roofs.



Industrial Seam Clamp 2.0 - 1
for Roma RD



Standign Seam Clamp 2.0 - DfalzAlu
for Prefa



Industrial Seam Clamp 2.0 - 2
for Zambelli RIB Roof500



Industrial Seam Clamp 2.0 - 3
for Zambelli RIB Roof465



Round Seam Clamp 2.0-22mm
for Zambelli RIB Roof Evo



Industrial Seam Clamp 2.0 - 4
for Domico GBS.



Industrial Seam Clamp 2.0 - 5
for Domitec

VARIANTS

Item no. 11402-01	EAN 4262355113149	Round Seam Clamp 2.0 - 18mm for KalZip	50 pcs. per PU
Item no. 11402-03	EAN 4262355113156	Seam Clamp 2.0 - DFalzCU for copper roofs	50 pcs. per PU
Item no. 11402-05	EAN 4262355113163	Seam Clamp 2.0 - DFalzPRO for double-lock standing seam roofs	50 pcs. per PU
Item no. 11402-06	EAN 4262355113170	Industrial Seam Clamp 2.0 - 1 for Roma RD	50 pcs. per PU
Item no. 11402-07	EAN 4262355113330	Standign Seam Clamp 2.0 - DfalzAlu for Prefa	50 pcs. per PU
Item no. 11402-08	EAN 4262355113330	Industrial Seam Clamp 2.0 - 2 for Zambelli RIB Roof500	50 pcs. per PU
Item no. 11402-09	EAN 4262355113347	Industrial Seam Clamp 2.0 - 3 for Zambelli RIB Roof465	50 pcs. per PU
Item no. 11402-10	EAN 4262355113354	Round Seam Clamp 2.0 - 22mm for Zambelli RIB Roof Evo	50 pcs. per PU
Item no. 11402-11	EAN 4262355113361	Industrial Seam Clamp 2.0 - 4 for Domico GBS	50 pcs. per PU
Item no. 11402-12	EAN 4262355113422	Industrial Seam Clamp 2.0 - 5 for Domitec	50 pcs. per PU
Item no. 11402-13	EAN 04262355112449	Rail bridge for Roma RD	150 pcs. per PU

Round Seam Clamp **Falz18H**

- » Suitable for round seam roofs $\varnothing$ 18 mm, suitable for a rail-less, horizontal module installation.
- » By adding Cross Connectors, rails can also be used for a vertical module mount.
- » Only one tool required: Torx 40
- » Material: Aluminum



Falz18H
for round seams
 $\varnothing$ 18 mm, horizontal
Item no. 11401-01

Item no. 11401-01	EAN 4262355110629	Falz18H for round seams $\varnothing$ 18 mm, horizontal	50 pcs. per PU
-------------------	-------------------	---	----------------

Seam Clamp **DFalzPro**

- » Suitable for standard double-lock standing seam roofs, suitable for a rail-less, horizontal module installation.
- » By adding Cross Connectors, rails can also be used for a vertical module mount.
- » Titanium zinc sheeting: max. rail length 3-4 m
- » Material: Aluminum



DFalzPro
for double-lock standing
seam roofs, horizontal
Item no. 11401-05

Item no. 11401-05	EAN 4262355110643	DFalzPro for double-lock standing seam roofs, horizontal	50 pcs. per PU
-------------------	-------------------	--	----------------

Seam Clamp **DFalzCu**

- » For common double-lock standing seam roofs made of copper, suitable for a rail-less, horizontal module installation.
- » By adding Cross Connectors, rails can also be used for a vertical module mount.
- » Material: Aluminum (top), stainless steel (bottom)



zCu
copper double-lock standing
seam roofs, horizontal
Item no. 11401-03

Item no. 11401-03	EAN 4262355110650	DFalzCu for copper double-lock standing seams, horizontal	50 pcs. per PU
-------------------	-------------------	---	----------------

Seam Clamp **ROMA RD horizontal**

- » Specially developed for Roma sandwich panels, suitable for a rail-less, horizontal module installation.
- » By adding Cross Connectors, rails can also be used for a vertical module mount.
- » Material: Aluminum (clamp), stainless steel (hardware)


ROMA RD
for Roma sandwich panels,
horizontal
Item no. 11401-06



Item no. 11401-06	EAN 4262355112654	ROMA RD for Roma sandwich panels, horizontal	50 pcs. per PU
-------------------	-------------------	--	----------------

SL Hanger BoltSet 2.0

- » Consists of Hanger Bolt and Hanger Bolt Adaptor (suitable for M10 and M12).
- » Universal mounting of any SL Rack RAILS.
- » Water sealing through EPDM rubber.
- » Pressure dome provides UV-protection to maintain the sealing function.
- » Suitable for wooden constructions.



VARIANTS

Item no. 23310-210	EAN 4262355112869	SL Hanger Bolt Set 2.0 M10 x 200 mm	50 pcs. per PU
Item no. 23310-310	EAN 4262355112876	SL Hanger Bolt Set 2.0 M10 x 300 mm	50 pcs. per PU
Item no. 23312-210	EAN 4262355112883	SL Hanger Bolt Set 2.0 M12 x 200 mm	50 pcs. per PU
Item no. 23312-310	EAN 4262355112890	SL Hanger Bolt Set 2.0 M12 x 300 mm	50 pcs. per PU

OPTIONAL ACCESSORIES

Sealing Plate

- » Ensures a balanced load distribution.
- » Excellent sealing performance for metal roofs.
- » For bitumen (shingle) roofs the addition of Bitu-Pad is recommended.

Item no. 23201-00	EAN 4262355110704	Sealing Plate	100 pcs. per PU
-------------------	-------------------	---------------	-----------------

OPTIONAL ACCESSORIES

Bitu-Pad


- » Provides an additional layer of sealing for bitumen (shingle) roofs.
- » Self-adhesive

Item no. 23201-03	EAN 4262355110711	Bitu-Pad	100 pcs. per PU
-------------------	-------------------	----------	-----------------

OPTIONAL ACCESSORIES

Universal Adaptor

- » Universal Adaptor for hanger bolt attachment.
- » Universal Adaptor with sealing kit for direct installation on trapezoidal sheet metal roofs.



Item no. 91205-00	EAN 4262355113200	Universal Adaptor	100 pcs. per PU
Item no. 91207-00	EAN 4262355113285	Sealing kit for Universal Adaptor	200 pcs. per PU

Hanger Bolt Adaptor 2.0

- » Universal mounting of any RAILS.
- » Upper and lower mounting attachments with ribbed profile for high fitting accuracy and stability.
- » Fits M10 and M12 hanger bolts.



Item no. 11302-12	EAN 4262355112586	Hanger Bolt Adaptor 2.0 M12	100 pcs. per PU
-------------------	-------------------	-----------------------------	-----------------

Cross Connector 2.0


- » Facilitates 90° cross connections for all SL Rack rails .
- » Convenient installation from the top.
- » Lightning current carrying connection for increased safety.
- » **Dimensions:**
Cross Connector 2.0: Length 80 mm, width 38 mm, height 48/27 mm
- » Material: Aluminum
- » Weight: 0.098 kg



Item no. 91204-00	EAN 4262355112517	Cross Connector 2.0	100 pcs. per PU
-------------------	-------------------	---------------------	-----------------

Universal RAIL Adapter

- » Connects RAILS to any common roof hook and roof replacement panel with vertical mounting surface and hole or slot for a M10 bolt.
- » M10 screw is pressed into the Universal RAIL Adaptor.
- » No counter-pressure necessary when tightening the nut.
- » M10 nut included



Item no. 11110-00	EAN 4262355111435	Universal RAIL Adapter, incl. nut M10	200 pcs. per PU
-------------------	-------------------	---------------------------------------	-----------------

Potential Equalization Clamp for RAIL

- » Compatible with any SL Rack rail
- » For wires from 10² to 25²
- » Low overall height of 18 mm
- » Easy mounting from the top
- » **Dimensions:** Length 30 mm, width 39 mm, height 38/18 mm
- » Material: Aluminum, stainless steel
- » Weight: 0.0326 kg



Item no. 91545-00	EAN 4262355112616	Potential Equalization Clamp for RAIL	250 pcs. per PU
-------------------	-------------------	---------------------------------------	-----------------

Lightning Protection Clamp A2 top


- » Simple connection to external lightning protection and equipotential bonding system with 6, 8 or 10 mm diameter.
- » Equipotential bonding up to min. 6 mm²
- » Suitable for copper wires
- » **Dimensions:**
Length 52 mm, width 48 mm, height 19 mm
- » Material: Aluminum, stainless steel
- » Weight: 0.042 kg




Item no. 93801-00	EAN 04262355113309	Lightning Protection Clamp A2 top	100 pcs. per PU
--------------------------	--------------------	-----------------------------------	-----------------

Lightning Protection Clamps

- » Available in two versions, fits any SL Rack rail.
- » Convenient installation from the top.
- » Completely pre-assembled for a quick installation.
- » Compatible with 8 mm and 10 mm round wire.
- » Certified lightning current carrying capacity.
- » Lightning Protection Clamp top: Low height for modules with 30 mm frame height.
- » Lightning Protection Clamp bottom: Includes M10 hex bolt and nut.
- » **Dimensions:**
Top: Length 52 mm, width 52 mm, height 38/23
Bottom: Length 52 mm, width 50 mm, height 30/23 mm
- » Material: Aluminum, M6 stainless steel bolt



Lightning Protection Clamp top, very low height, suitable for 30 mm module frames




Lightning Protection Clamp bottom, incl. M10 nut and bolt

VARIANTS

Item no. 91518-00	EAN 4262355110742	Lightning Protection Clamp top	100 pcs. per PU
Item no. 91520-00	EAN 4262355110759	Lightning Protection Clamp bottom	100 pcs. per PU

Inverter/Optimizer Clamp

- » Universal mounting for microinverters and module optimizers
- » Easy attachment to the rail channel
- » Re-positioned and de-installed quickly
- » Compatible with SolarEdge, Huawei, Enphase, Tigo, BRC, Sungrow
- » **Dimensions:** Length 60 mm, width 33 mm, height 60/17 mm
- » Material: Aluminum



Item no. 11601-00	EAN 4262355112296	Inverter/Optimizer Clamp	150 pcs. per PU
--------------------------	-------------------	--------------------------	-----------------

Special Edition Chestnut Brown


Our 5 basic components, RAILS, roof hooks 3D SL Alu, mid clamp Vario, end clamp Vario and the internal connector RAIL 2.0 in custom colours.

- » Visual adaptation of the racking in accordance with legal requirements, such as heritage protection, which stipulates an overall uniform appearance of the PV system and the racking.
- » Additional colours upon request




RAIL 40

Item no. 87140-2400	EAN 4262355112449	RAIL 40	150 pcs. per PU
---------------------	-------------------	---------	-----------------



Internal Connector RAIL 2.0 for RAIL 40

Item no. 87140-02	EAN 4262355112456	Internal Connector RAIL 2.0 für RAIL 40	50 pcs. per PU
-------------------	-------------------	---	----------------



Roof hook 3D SL Alu L

Item no. 17100-01	EAN 4262355112463	Roof hook 3D SL Alu L (long)	10 pcs. per PU
-------------------	-------------------	------------------------------	----------------



Mid clamp Vario without grounding

Item no. 97151-01	EAN 4262355112470	Mid clamp Vario without grounding	100 pcs. per PU
-------------------	-------------------	-----------------------------------	-----------------



End clamp Vario without grounding

Item no. 97112-00	EAN 4262355112487	End clamp Vario without grounding	100 pcs. per PU
-------------------	-------------------	-----------------------------------	-----------------

Cable Clip RAIL

Cable tie made of UV and weather-resistant plastic in matt black.

- » Optimized lock for a precise fixation
- » For modules with a frame height of 30 mm
- » Groove width: 8 mm
- » Accommodates up to 1 MC4 plug and 15 cables (5.4 mm diameter)
- » **Dimensions:**
Length 37 mm, width 180 mm, height 42 mm
- » Material: UV and weather-resistant plastic
- » Weight: 0.011 kg



Item no. 91402-00	EAN 4262355110827	Cable Clip RAIL, matt black	100 pcs. per PU
-------------------	-------------------	-----------------------------	-----------------

Support Plate

- » Increases the support surface for solar modules
- » Material: Aluminum



Item no. 91701-00	EAN 4262355110766	Support Plate	100 pcs. per PU
-------------------	-------------------	---------------	-----------------

Nut Insert M8

- » Easy insertion of square nut anywhere on the RAIL profile
- » Enables universal attachment of various components



Item no. 94301-00	EAN 4262355110773	Nut Insert M8	100 pcs. per PU
-------------------	-------------------	---------------	-----------------

Perforated Aluminum Tape

- » Perforated aluminum tape for grounding, 27 x 1,4 mm, Ø 6,75 mm
- » 50 m roll, hole distance 40 mm



Item no. 91827-50	EAN 4262355110834	Perforated aluminum tape for grounding- 50 m	10 pcs. per PU
-------------------	-------------------	--	----------------

Square Nut



Item no. 93304-08	EAN 4262355110780	Square Nut M8	200 pcs. per PU
-------------------	-------------------	---------------	-----------------

Hexagon Nut



Item no. 93306-10	EAN 4262355110797	Hexagon Nut M10	100 pcs. per PU
-------------------	-------------------	-----------------	-----------------

Hexagon Bolt




Item no. 93110-25	EAN 4262355110803	Hexagon Bolt M10 x 25 mm	100 pcs. per PU
-------------------	-------------------	--------------------------	-----------------

Square Head Bolt



Item no. 93210-25	EAN 04262355112265	Square Head Bolt M10 x 25 mm A2	100 pcs. per PU
-------------------	--------------------	---------------------------------	-----------------

Wood Screw Flange Head




VARIANTS

Item no. 92106-08	EAN 4262355110841	Wood screw, flange head 6 x 80 mm TX 30	100 pcs. per PU
Item no. 92106-10	EAN 4262355110858	Wood screw, flange head 6 x 100 mm TX 30	100 pcs. per PU
Item no. 92106-12	EAN 4262355110865	Wood screw, flange head 6 x 120 mm TX 30	100 pcs. per PU
Item no. 92108-08	EAN 4262355110872	Wood screw, flange head 8 x 80 mm TX 40	50 pcs. per PU
Item no. 92108-10	EAN 4262355110896	Wood screw, flange head 8 x 100 mm TX 40	50 pcs. per PU
Item no. 92108-12	EAN 4262355110889	Wood screw, flange head 8 x 120 mm TX 40	50 pcs. per PU
Item no. 92108-28	EAN 4262355110902	Wood screw, flange head 8 x 280 mm TX 40	50 pcs. per PU

[illegible]

[illegible]



SL Rack

[YouTube](#)



SL Rack

[Website](#)



SL Rack

[Online ordering system](#)



Contact us
for an offer:

SL Rack GmbH

Münchener Straße 1

83527 Haag i. OB

Email: sales@sl-rack.com

Phone: [+49 8072 3767-0](tel:+49807237670)

www.sl-rack.com